

**Notice of Allowability**

Application No.

10/621,307

Examiner

Raleigh Chiu

Applicant(s)

RIOUX ET AL.

Art Unit

3711

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/24/05.
2. ☒ The allowed claim(s) is/are 4.
3. ☒ The drawings filed on 18 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All   b) ☐ Some\*   c) ☐ None   of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Raleigh Chiu  
Primary Examiner  
Art Unit: 3711

**EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Applicant's amendments to the specification, abstract and claims are not compliant with 37 CFR 1.121 (failure to provide replacement paragraphs, improper use of claim status identifiers). To comply with 37 CFR 1.121, the following amendments are provided.

**IN THE SPECIFICATION:**

On page 5, line 2, "and is self-centering" has been deleted.

On page 10, line 16, "self centering well 14 due to the curvature" has been replaced with --having an arc on--.

On page 11, line 17, "self aligns the face of golf club head 34 as golf club head centering" has been replaced with --assists the operator to align the face of golf club head 34 as golf club head--.

On page 12, line 19, "a" has been deleted.

Art Unit: 3711

On page 15, line 5, "A self centering golf club head well 14" has been deleted.

**IN THE ABSTRACT:**

In line 4, "self centering" has been deleted as per applicant's intention.

**IN THE CLAIMS:**

In claim 1, "Canceled - page 16 - remove claim 1" has been changed to --(Canceled)--.

In claim 2, "Canceled - page 16 - remove claim 2" has been changed to --(Canceled)--.

In claim 3, "Canceled - page 17 - remove claim 3" has been changed to --(Canceled)--.

In claim 4, line 1, --(New)-- has been inserted after "4" and before "A method of marking...".

2. The objection to the drawings has been withdrawn; existing Figures 1-8 are considered to illustrate enough features to facilitate understanding of the claimed method steps.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raleigh Chiu whose telephone number is (571) 272-4408. The examiner can normally be reached on Monday-Thursday.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Vidovich, can be reached on (571) 272-4415.

The fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval

Art Unit: 3711

(PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Raleigh W. Chiu', with a stylized, flowing script.

Raleigh W. Chiu  
Primary Examiner  
Technology Center 3700

RWC:dei:feif  
9 June 2005